



# Style 1696

## Demarcation Fabric

### High Visibility Orange

### Product Data Sheet

October 2019

A woven geotextile fabric, produced from polypropylene slit-film tapes, which will meet or exceed the following values.  
 "Danger - Do Not Dig" May be printed on request in English and or Spanish.

Property	Test Method	English Units			SI Units		
		Typical			Typical		
		MD	CD		MD	CD	
Grab Tensile Strength	ASTM D-4632	175	90	lbs	779	401	N
Grab Tensile Elongation	ASTM D-4632	20	18	%	20	18	%
Wide Width Tensile Ultimate	ASTM D-4595	100	60	lbs/in	18	11	kN/m
Wide Width Elongation	ASTM D-4595	13.2	10.6	%	13	11	%
CBR Puncture	ASTM D-6241	400 *			1780 *		N
A.O.S.	ASTM D-4751	35		U.S. Sieve	0.50		mm
Water Flow Rate	ASTM D-4491	25		gal/min/ft <sup>2</sup>	1015		l/min/m <sup>2</sup>
UV Resistance (200 hrs)	ASTM D-4355	70		%	70		%

\* Based upon limited testing.

Packaging	English Units			SI Units		
	Width	Area	Length	Width	Area	Length
	(feet)	(yard <sup>2</sup> )	(yard)	(m)	(m <sup>2</sup> )	(m)
<b>Standard Roll Sizes</b>	12.5	600	144	3.8	502	132

Note: Custom sizes are available. Please inquire.



**Produced in Belton, South Carolina, U.S.A.**

The foregoing is believed to be an accurate representation of information compiled from inside and/or outside sources, however, because test values, statistical data, and other information presented may be based solely on results of unverified tests made on random samples, information presented may relate only to tested samples and because the conditions in which such information may be used are beyond the control of Belton Industries, Inc., Belton does not guarantee either the accuracy or reliability of the information or the suggestions and recommendations contained herein. Belton assumes no responsibility for the use of information presented herein and hereby disclaims all liabilities which may arise in connection with the use of information herein presented. All specifications, properties, values, statistical data and applications listed herein are provided as information only, without charge or obligation to the recipient or user, and in no way either makes or creates any warranty with respect to any product or modifies, amends or enlarges any warranty made with respect to any product. Final determination of the suitability, reliability and accuracy of the information and suggested uses is solely the responsibility of the user. The property values expressed are effective on the date shown above, supersede any values previously published, and are subject to change without notice. This document may be reproduced only in its entirety.